

DeLaLio Sod Farms ^{INC}

19-5-9 Fertilizer



43% Slow Release Nitrogen • 100% Sulfate of Potash

PROFESSIONAL RESULTS!

A superior turfgrass fertilizer that is especially designed for fairways, tees and other areas where a high quality turf is desired.

HOW TO USE

Apply anytime during the turf growing season; however, when weather is extremely hot, it is best to delay or reduce fertilizer applications.

To feed at the rate of 1 lb. nitrogen per 1000 sq. ft., apply this product at 5 1/2 lbs. per 1000 sq. ft. or 230 lbs. per acre.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention.

GUARANTEED ANALYSIS

Total Nitrogen (N)	19%
9.5% Ammoniacal Nitrogen	
3.4% Water Insoluble Nitrogen	
1.3% Urea Nitrogen	
4.8% Water Soluble Organic Nitrogen*	
Available Phosphate (P ₂ O ₅)	5%
Soluble Potash (K ₂ O)	9%
Total Magnesium (Mg)	1.0%
0.8% Water Soluble Magnesium (Mg)	
Total Sulfur (S)	8.0%
8.0% Combined Sulfur (S)	
Total Iron (Fe)	2.0%
0.8% Water Soluble Iron (Fe)	
Total Manganese (Mn)	0.5%
0.5% Water Soluble Manganese (Mn)	

Nutrient Sources: Urea, Methylene Urea, Ammonium Phosphate, Ammonium Sulfate, Sulfate of Potash, Sulfate of Potash Magnesia, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.

Chlorine (Cl) not more than 2.0%

*4.8% Slowly Available Nitrogen from Methylene Urea.

SUGGESTED SPREADER SETTINGS

Spreader	Speed		Width of Coverage	Settings	
	Ground MPH	PTO RPM		Regular (1#N)	Half (1/2#N)
Earthway (Rotary)	3		12 ft.	18	15
Jet-Spred [®] (Rotary)	3		8 ft.	5	4
Jet-Spred [®] II	3		8 ft.	5	4
Cyclone	3		8 ft.	5	4
Ezee Flow (109)	5	540	30 ft.	C3	C2
Lely (HR)	5		39 ft.	7II	5 1/2 II
Lely (W)	5	425	39 ft.	7II	5 1/2 II
Scotts (Drop Type)	3		21 in.	5 1/2	4
Scotts (Rotary)	3		6 ft.	K	G
Scotts (Rotary) R7X	3		8 ft.	I	F
Scotts (Rotary) R8	3		8 ft.	N	L
Lesco	3		8 ft.	K	G
Gandy	3		24 in.	35	30
Vicon PS 402	5	540	35 ft.	32	21
Spyker	3		8 ft.	4	2 1/2
PrizeLAWN BigFoot				O	J
PrizeLAWN CBRII				11	7

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**

Manufactured for:
DELALIO SOD FARMS, INC.
652 Deer Park Avenue, Dix Hills, NY 11746

NET WT. 50 LBS. (22.7 kg)

15707